

Tables (13)

Name	Type	Schema
AutoModOffenses		CREATE TABLE "AutoModOffenses" ("Id" integer primary key autoincrement not null , "UserId" integer , "FilterKey" varchar , "IssuedDate" bigint , "ValidForTicks" integer)
Id	integer	"Id" integer NOT NULL
UserId	integer	"UserId" integer
FilterKey	varchar	"FilterKey" varchar
IssuedDate	bigint	"IssuedDate" bigint
ValidForTicks	integer	"ValidForTicks" integer
BanExpirations		CREATE TABLE "BanExpirations" ("UserId" integer primary key not null , "OriginalDuration" integer , "ExpirationDate" bigint , "NameWhenBanned" varchar , "OriginalReason" varchar(1024))
UserId	integer	"UserId" integer NOT NULL
OriginalDuration	integer	"OriginalDuration" integer
ExpirationDate	bigint	"ExpirationDate" bigint
NameWhenBanned	varchar	"NameWhenBanned" varchar
OriginalReason	varchar(1024)	"OriginalReason" varchar(1024)
Detainees		CREATE TABLE "Detainees" ("UserId" integer primary key not null , "DateDetained" bigint , "NameWhenDetained" varchar)
UserId	integer	"UserId" integer NOT NULL
DateDetained	bigint	"DateDetained" bigint
NameWhenDetained	varchar	"NameWhenDetained" varchar
FilterSettings		CREATE TABLE "FilterSettings" ("Id" varchar primary key not null , "Enabled" integer , "Punishment" integer , "PunishmentDurationTicks" integer , "Patience" integer , "Threshold" integer , "TimeWindowTicks" integer)
Id	varchar	"Id" varchar NOT NULL
Enabled	integer	"Enabled" integer
Punishment	integer	"Punishment" integer
PunishmentDurationTicks	integer	"PunishmentDurationTicks" integer
Patience	integer	"Patience" integer
Threshold	integer	"Threshold" integer
TimeWindowTicks	integer	"TimeWindowTicks" integer
LinkedGuilds		CREATE TABLE "LinkedGuilds" ("GuildId" integer primary key not null)
GuildId	integer	"GuildId" integer NOT NULL
LockdownBackups		CREATE TABLE "LockdownBackups" ("Id" integer primary key autoincrement not null , "ChannelId" integer , "RoleId" integer , "AllowValue" integer , "DenyValue" integer , "DeleteAfter" integer)
Id	integer	"Id" integer NOT NULL
ChannelId	integer	"ChannelId" integer
RoleId	integer	"RoleId" integer
AllowValue	integer	"AllowValue" integer
DenyValue	integer	"DenyValue" integer
DeleteAfter	integer	"DeleteAfter" integer

Name	Type	Schema
ModActions		CREATE TABLE "ModActions" ("Id" integer primary key autoincrement not null , "Action" integer , "IssuedTo" integer , "IssuedBy" integer , "ClearedBy" integer , "IssuedDate" bigint , "Reason" varchar(1024) , "Duration" integer , "IssuedToName" varchar , "IssuedByName" varchar , "DmReplyJumpURL" varchar(128) , "ClearedByName" varchar)
Id	integer	"Id" integer NOT NULL
Action	integer	"Action" integer
IssuedTo	integer	"IssuedTo" integer
IssuedBy	integer	"IssuedBy" integer
ClearedBy	integer	"ClearedBy" integer
IssuedDate	bigint	"IssuedDate" bigint
Reason	varchar(1024)	"Reason" varchar(1024)
Duration	integer	"Duration" integer
IssuedToName	varchar	"IssuedToName" varchar
IssuedByName	varchar	"IssuedByName" varchar
DmReplyJumpURL	varchar(128)	"DmReplyJumpURL" varchar(128)
ClearedByName	varchar	"ClearedByName" varchar
ModerationRoles		CREATE TABLE "ModerationRoles" ("RoleId" integer primary key not null)
RoleId	integer	"RoleId" integer NOT NULL
MuteExpirations		CREATE TABLE "MuteExpirations" ("UserId" integer primary key not null , "OriginalDuration" integer , "ExpirationDate" bigint , "NameWhenMuted" varchar , "Reason" varchar(1024))
UserId	integer	"UserId" integer NOT NULL
OriginalDuration	integer	"OriginalDuration" integer
ExpirationDate	bigint	"ExpirationDate" bigint
NameWhenMuted	varchar	"NameWhenMuted" varchar
Reason	varchar(1024)	"Reason" varchar(1024)
Strings		CREATE TABLE "Strings" ("Key" varchar primary key not null , "Value" varchar)
Key	varchar	"Key" varchar NOT NULL
Value	varchar	"Value" varchar
ULongs		CREATE TABLE "ULongs" ("Key" varchar primary key not null , "Value" integer)
Key	varchar	"Key" varchar NOT NULL
Value	integer	"Value" integer
UserNotes		CREATE TABLE "UserNotes" ("Id" integer primary key autoincrement not null , "IssuedTo" integer , "IssuedBy" integer , "IssuedToName" varchar , "IssuedByName" varchar , "IssuedDate" bigint , "Note" varchar(1024))
Id	integer	"Id" integer NOT NULL
IssuedTo	integer	"IssuedTo" integer
IssuedBy	integer	"IssuedBy" integer
IssuedToName	varchar	"IssuedToName" varchar
IssuedByName	varchar	"IssuedByName" varchar
IssuedDate	bigint	"IssuedDate" bigint

Name	Type	Schema
Note	varchar(1024)	"Note" varchar(1024)
sqlite_sequence		CREATE TABLE sqlite_sequence (name, seq)
name		"name"
seq		"seq"

Indices (0)

Name	Type	Schema
------	------	--------

Views (0)

Name	Type	Schema
------	------	--------

Triggers (0)

Name	Type	Schema
------	------	--------